Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"6101446" and cube and parallelepipe\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 15:05
L3	7	seismic and (3d or (three same dimensional)) same volume and subvolume\$3 and dip and azimuth and cube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 16:58
L4	1	"20060122780" and cube and parallelepiped	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 16:59
S1	384	seismic same data and 3d same volume	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:14
S2	751	seismic same data and (3d or (three same dimensional)) same volume	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:16
S3	36	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:16
S4	1	parallelipiped\$3 and seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:18
S5		parallelipiped\$3 and seismic same data and (3d or (three same dimensional)) and volume and subvolume\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OŖ	ON	2007/08/20 16:18

S6	20	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3 and dip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 16:18
S9	12	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3 and dip and azimuth	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/20 16:21
S10	36	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/22 11:00
S11	50	("5260911" "7201054" "20060041406" "20060081050" "4936419" "6032103" "6267000" "4534019" "4992993" "5761062" "6026058" "6188963" "4307790" "4323876" "4369507" "4380806" "4446538" "4468761" "4608673" "4620279" "4622519" "4627036" "4628491" "4633401" "4759636" "4779238" "4802147" "4829489" "4858177" "4862115" "4887243" "4926391" "4926392" "4953140" "4954998" "4958328" "4964088" "5031159" "5182729" "5184329" "5191557" "5200928" "5214617" "5226017" "5229938" "5233567" "5233568" "5241175" "5241514" "5253219").pn.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/22 15:23
S12	4222	(parallel\$3 same piped) or parallelpiped\$3	US-PGPUB; USPAT; USOCR	OR	ON .	2007/08/22 15:24
S13	2	seismic same ((parallel\$3 same piped\$3) or parallelpiped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 15:26
S14	. 12	seismic and ((parallel\$3 same piped\$3) or parallelpiped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 15:26

		EAST Scare				
S15	12	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3 and dip and azimuth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:20
S16	7	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3 and dip and azimuth and cube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:21
S17	0	seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3 and dip and azimuth and cube and subcube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:21
S18		seismic same data and (3d or (three same dimensional)) same volume and subvolume\$3 and dip and azimuth and cube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:21
S20	88	seismic and (3d or (three same dimensional)) same volume and dip and azimuth and cube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 16:22
S21	1	dip and seismic and cube and ((parallel same piped\$3) or parallelpiped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 16:25
S22	3	seismic and cube and ((parallel same piped\$3) or parallelpiped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 16:28
S23	248	cube and ((parallel same piped\$3) or parallelpiped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:19
S24	77	cube and (parallel same piped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:20
S25	0	seismic same cube and (parallel same piped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:20

			-			
S26	2	seismic and cube and (parallel same piped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:34
S27	6	seismic and (parallel same piped\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:21
S28	3	"6970788" "6101446"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:35
S29	6	("4573148" "4817061" "5148494" "5153858" "5588032" "5596547").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:35
S30	1	("5500832").PN.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/22 18:36
S31	5	("5153858" "5157638" "5432751" "5586082" "6101446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/22 18:37
S32	7	("20020120429" "5812493" "5838634" "6236943" "6298351" "6374185" "6662112").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:05
S33	14	("20020120429" "5812493" "5838634" "6236943" "6298351" "6374185" "6662112").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/23 13:06
· S34	1	"6970788"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:08
S35	0	"60101446"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:08
S36	2	"6101446"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 15:05
S37	1	"6970788"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:09
S38	3	seismic same parallelepiped same cube	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:11
S39	0	seismic same parallel adj piped same cube	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:11

S40	0	seismic same parallelpiped same cube	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:11
S41 ·	0	seismic same parallel and piped same cube	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:11
S42	3	seismic same parallelepiped same cube	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:12
S43	128	"6970788" "6101446" "5892732" "5892732" "6138075" re38229 "5563949" "5740036" "6151155" "5850622" "6594394"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:14
S44	10	("6970788" "6101446" "5892732" "5892732" "6138075" re38229 "5563949" "5740036" "6151155" "5850622" "6594394").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:16
S45	. 3	("6970788" "6101446" "5892732" "5892732" "6138075" re38229 "5563949" "5740036" "6151155" "5850622" "6594394").pn. and cube and parallelepipe\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/23 13:17

Web Images Video News Maps Gmail more .

<u>Sign in</u>

Google

seismic parallelepiped cube

Search

Preferences New! View and manage your web history

Web

Results 1 - 10 of about 523 for <u>seismic parallelepiped cube</u>. (0.08 seconds)

Advanced Search

Method of keying a borehole in a seismic block - US Patent 6970788

1 shows schematically a portion of a seismic block (seismic cube) ... neighbourhood in the seismic block B in the form of a parallelepiped centred on the ... www.patentstorm.us/patents/6970788-description.html - 35k - Cached - Similar pages

Method for seismic data processing using depth slice decomposition ... However, seismic applications involving a large subsurface analysis cube, having six congruent square faces, or may involve a parallelepiped. ... www.patentstorm.us/patents/5504678-description.html - 150k - Cached - Similar pages [More results from www.patentstorm.us]

[PDF] A study of high-frequency seismic waves by means of a gas-jet source

File Format: PDF/Adobe Acrobat

Here S is the seismic-field source, BO is the buried object (rectangular parallelepiped), and 1-3 are the points at which the detectors of seismic signals ... www.springerlink.com/index/G524352417428J45.pdf - Similar pages

[РФР] From 3D **Seismic** Facies to Reservoir Simulation: An Example From ...

File Format: PDF/Adobe Acrobat

the training points in the seismic cube. Mispicked training data can therefore ... Volumes with parallelepiped rectangle shape and not only cubes are being ... www.springerlink.com/index/xu65296072653211.pdf - Similar pages [More results from www.springerlink.com]

[PS] A Case-study in Performance Programming: Seismic Migration

File Format: Adobe PostScript - View as Text

It is natural to visualize this computation as a rectangular parallelepiped, or more. loosely, a. cube., in. xz! -space (see gure 1). ... www.cs.ucsd.edu/users/carter/Papers/seismic.ps - Similar pages

Method for processing seismic data

However, approximately cylindrical, ellipsoidal or parallelepiped-shaped ... A cell 2 in the form of a cube comprising 3.times.3.times.3 data points is ... www.patentopedia.us/x-ray_detector_radiographic_imaging/processing_seismic_data.html - 55k - Cached - Similar pages

[PDF] Parallel 3-D simulation of seismic wave propagation in ...

File Format: PDF/Adobe Acrobat

mented on a mesh of mixed tetrahedral and parallelepiped grid cells, right cube into five tetrahedrons. This represents an inhomogeneous ... www.blackwell-synergy.com/doi/pdf/10.1111/j.1365-246X.2006.02946.x - Similar pages

[PDF] W Basic seismology 10: The King's Chamber and seismic ray direction File Format: PDF/Adobe Acrobat

of the King's Chamber (a rectangular parallelepiped) inside ... For the volume to equal a double cube, the height ... and seismic ray direction ... tle.geoscienceworld.org/cgi/reprint/24/5/485.pdf - Similar pages

Retroreflective marking tape

For example, such units may be cube corners or rectangular parallelepipeds. A preferred form is that of a triangular-based pyramid which is well suited for ... www.patentdigi.com/post-loca_core_flushing_system/retroreflective_marking_tape.html -54k - Cached - Similar pages



Revista Brasileira de Geofísica - Layer-induced elastic anisotropy ...
In the standard coordinate system of seismic exploration (x- and y-axis not every point inside the cube (parallelepiped) can be so modeled: there are ...
www.scielo.br/scielo.php?script=sci_arttext&pid=S0102-261X2000000200006 - 59k - Cached - Similar pages

1 <u>2 3 4 5 6 7 8 9 10</u> Next

Try Google Desktop: search your computer as easily as you search the web.

seismic parallelepiped cube



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google